



TORDON* 22K

The responsible way to spray



Why should I use TORDON 22K?

Effective control of invasive species, tough woody weeds, scrub and deep-rooted perennials

- active ingredient Picloram is easily absorbed through the leaves to the roots

Fewer applications required, saving you time and money

- residual action

Grass cover is maintained

- selective action

Fast acting

- leaf symptoms will develop just 4 – 10 days after application

Easily controls difficult weeds such as Japanese Knotweed and Rosebay Willowherb

- effective control even for notoriously resistant species

Where can I use TORDON 22K?

Use TORDON 22K to control difficult weeds, invasive species, scrub and deep-rooted perennials in amenity, rail and industrial areas.

Weeds can create obstructions and cause costly damage to surfaces, railways and structures. TORDON 22K's selective action gives you complete control, whilst maintaining grass cover and stability.



Central reservation



Industrial areas



Embankments



Branch lines



Railway sidings



How does TORDON 22K work?

The active ingredient in TORDON 22K is Picloram, which is easily absorbed by leaves and roots. It continues to work after the initial application as its residual action prevents the development of germinating weeds.

This combined with its selective action, gives you reliable and effective total control.

How do I apply TORDON 22K?

Mix TORDON 22K with water, as directed on the product label, then apply using either a hand-held knapsack sprayer or a vehicle-mounted sprayer.

White clover, creeping thistle, hogweed, plantains	2.8 litres/ha
Common bird's-foot trefoil, field bindweed, creeping buttercup, burdock, cat's ear, common chickweed, colt's foot, creeping cinquefoil, dandelion, docks, hawkweed, japanese knotweed, mugwort, common nettle, silverweed, tansy, cotton thistle, rosebay willowherb, yarrow	4.3-5.6 litres/ha
Wild mignonette, common ragwort	8.4 litres/ha
Bracken*, brambles	11.2 litres/ha

*Please note: bracken should be treated 2 - 4 weeks before frond emergence



MAPP 05083

Nomix Enviro

A division of Frontier Agriculture Ltd

The Grain Silos

Weyhill Road

Andover

Hampshire

SP10 3NT

T 01264 388050

F 01522 866176

E nomixenviro@frontierag.co.uk

www.nomix.co.uk

The logo for Frontier Agriculture features the word "frontier" in a lowercase, white, sans-serif font. The letters are positioned over a stylized graphic of a white and orange shape that resembles a leaf or a drop, with the orange part on the right side.

TORDON 22K may be applied as many times per year as required, as long as the overall annual dosage does not exceed the permitted maximum of 11.2 litres per hectare. Control of weeds may be reduced if the dosage is reduced.

For full information on applications, weed spectrum, rates and equipment, refer to the product label.

TORDON 22K is a suspension concentrate containing 240g/l (21.1% w/w) picloram as potassium salt.

TORDON is a registered trademark of DowAgrosciences LLC.

Use herbicides safely. Always read the label and product information before use.

For further product information, including warning phrases and symbols refer to the product label.